

# Extruded Satine Tube

| Outer Dia.<br>(mm) | Inner Dia.<br>(mm) | Thickness<br>(mm) | Outer Dia.<br>Tolerance | Length<br>(mm) |
|--------------------|--------------------|-------------------|-------------------------|----------------|
| 5                  | 3                  | 1                 | ± 0.15                  | 2000           |
| 6                  | 4                  | 1                 | ± 0.15                  | 2000           |
| 7                  | 5                  | 1                 | ± 0.15                  | 2000           |
| 8                  | 6                  | 1                 | ± 0.15                  | 2000           |
| 8                  | 5                  | 1.5               | ± 0.15                  | 2000           |
| 10                 | 8                  | 1                 | ± 0.20                  | 2000           |
| 10                 | 7                  | 1.5               | ± 0.20                  | 2000           |
| 10                 | 6                  | 2                 | ± 0.20                  | 2000           |
| 12                 | 10                 | 1                 | ± 0.20                  | 2000           |
| 12                 | 8                  | 2                 | ± 0.20                  | 2000           |
| 12                 | 6                  | 3                 | ± 0.20                  | 2000           |
| 13                 | 9                  | 2                 | ± 0.20                  | 2000           |
| 13                 | 7                  | 3                 | ± 0.20                  | 2000           |
| 14                 | 10                 | 2                 | ± 0.20                  | 2000           |
| 14                 | 8                  | 3                 | ± 0.20                  | 2000           |
| 15                 | 13                 | 1                 | ± 0.20                  | 2000           |
| 15                 | 11                 | 2                 | ± 0.20                  | 2000           |
| 15                 | 9                  | 3                 | ± 0.20                  | 2000           |
| 16                 | 12                 | 2                 | ± 0.30                  | 2000           |
| 16                 | 10                 | 3                 | ± 0.30                  | 2000           |
| 18                 | 14                 | 2                 | ± 0.30                  | 2000           |
| 18                 | 12                 | 3                 | ± 0.30                  | 2000           |
| 20                 | 18                 | 1                 | ± 0.30                  | 2000           |
| 20                 | 16                 | 2                 | ± 0.30                  | 2000           |
| 20                 | 14                 | 3                 | ± 0.30                  | 2000           |
| 22                 | 18                 | 2                 | ± 0.30                  | 2000           |

|    |    |   |            |      |
|----|----|---|------------|------|
| 22 | 16 | 3 | $\pm 0.30$ | 2000 |
| 25 | 21 | 2 | $\pm 0.40$ | 2000 |
| 25 | 19 | 3 | $\pm 0.40$ | 2000 |
| 28 | 24 | 2 | $\pm 0.40$ | 2000 |
| 28 | 22 | 3 | $\pm 0.40$ | 2000 |
| 30 | 26 | 2 | $\pm 0.40$ | 2000 |
| 30 | 24 | 3 | $\pm 0.40$ | 2000 |
| 30 | 22 | 4 | $\pm 0.40$ | 2000 |
| 30 | 20 | 5 | $\pm 0.40$ | 2000 |
| 32 | 28 | 2 | $\pm 0.40$ | 2000 |
| 32 | 26 | 3 | $\pm 0.40$ | 2000 |
| 32 | 24 | 4 | $\pm 0.40$ | 2000 |
| 35 | 31 | 2 | $\pm 0.40$ | 2000 |
| 35 | 29 | 3 | $\pm 0.40$ | 2000 |
| 38 | 34 | 2 | $\pm 0.40$ | 2000 |
| 38 | 32 | 3 | $\pm 0.40$ | 2000 |
| 38 | 30 | 4 | $\pm 0.40$ | 2000 |
| 38 | 28 | 5 | $\pm 0.40$ | 2000 |
| 40 | 36 | 2 | $\pm 0.40$ | 2000 |
| 40 | 34 | 3 | $\pm 0.40$ | 2000 |
| 40 | 32 | 4 | $\pm 0.40$ | 2000 |
| 40 | 30 | 5 | $\pm 0.40$ | 2000 |
| 45 | 41 | 2 | $\pm 0.40$ | 2000 |
| 45 | 39 | 3 | $\pm 0.40$ | 2000 |
| 45 | 37 | 4 | $\pm 0.40$ | 2000 |
| 45 | 35 | 5 | $\pm 0.40$ | 2000 |
| 50 | 46 | 2 | $\pm 0.40$ | 2000 |
| 50 | 44 | 3 | $\pm 0.40$ | 2000 |
| 50 | 42 | 4 | $\pm 0.40$ | 2000 |
| 50 | 40 | 5 | $\pm 0.40$ | 2000 |
| 60 | 56 | 2 | $\pm 0.40$ | 2000 |
| 60 | 54 | 3 | $\pm 0.40$ | 2000 |

|     |     |   |            |      |
|-----|-----|---|------------|------|
| 60  | 52  | 4 | $\pm 0.40$ | 2000 |
| 60  | 50  | 5 | $\pm 0.40$ | 2000 |
| 70  | 66  | 2 | $\pm 0.60$ | 2000 |
| 70  | 64  | 3 | $\pm 0.60$ | 2000 |
| 70  | 62  | 4 | $\pm 0.60$ | 2000 |
| 70  | 60  | 5 | $\pm 0.60$ | 2000 |
| 80  | 76  | 2 | $\pm 0.60$ | 2000 |
| 80  | 74  | 3 | $\pm 0.60$ | 2000 |
| 80  | 72  | 4 | $\pm 0.60$ | 2000 |
| 80  | 70  | 5 | $\pm 0.60$ | 2000 |
| 90  | 86  | 2 | $\pm 0.60$ | 2000 |
| 90  | 84  | 3 | $\pm 0.60$ | 2000 |
| 90  | 82  | 4 | $\pm 0.60$ | 2000 |
| 90  | 80  | 5 | $\pm 0.60$ | 2000 |
| 100 | 96  | 2 | $\pm 0.80$ | 2000 |
| 100 | 94  | 3 | $\pm 0.80$ | 2000 |
| 100 | 92  | 4 | $\pm 0.80$ | 2000 |
| 100 | 90  | 5 | $\pm 0.80$ | 2000 |
| 110 | 104 | 3 | $\pm 1.00$ | 2000 |
| 110 | 102 | 4 | $\pm 1.00$ | 2000 |
| 110 | 100 | 5 | $\pm 1.00$ | 2000 |
| 120 | 114 | 3 | $\pm 1.00$ | 2000 |
| 120 | 112 | 4 | $\pm 1.00$ | 2000 |
| 120 | 110 | 5 | $\pm 1.00$ | 2000 |
| 125 | 119 | 3 | $\pm 1.00$ | 2000 |
| 125 | 117 | 4 | $\pm 1.00$ | 2000 |
| 125 | 115 | 5 | $\pm 1.00$ | 2000 |
| 130 | 124 | 3 | $\pm 1.20$ | 2000 |
| 130 | 122 | 4 | $\pm 1.20$ | 2000 |
| 130 | 120 | 5 | $\pm 1.20$ | 2000 |
| 133 | 127 | 3 | $\pm 1.20$ | 2000 |
| 133 | 125 | 4 | $\pm 1.20$ | 2000 |

|     |     |   |        |      |
|-----|-----|---|--------|------|
| 133 | 123 | 5 | ± 1.20 | 2000 |
| 140 | 134 | 3 | ± 1.20 | 2000 |
| 140 | 132 | 4 | ± 1.20 | 2000 |
| 140 | 130 | 5 | ± 1.20 | 2000 |
| 150 | 144 | 3 | ± 1.20 | 2000 |
| 150 | 142 | 4 | ± 1.20 | 2000 |
| 150 | 140 | 5 | ± 1.20 | 2000 |
| 160 | 154 | 3 | ± 1.50 | 2000 |
| 160 | 152 | 4 | ± 1.50 | 2000 |
| 160 | 150 | 5 | ± 1.50 | 2000 |
| 170 | 164 | 3 | ± 1.50 | 2000 |
| 170 | 162 | 4 | ± 1.50 | 2000 |
| 170 | 160 | 5 | ± 1.50 | 2000 |
| 180 | 174 | 3 | ± 1.80 | 2000 |
| 180 | 172 | 4 | ± 1.80 | 2000 |
| 180 | 170 | 5 | ± 1.80 | 2000 |
| 185 | 179 | 3 | ± 1.85 | 2000 |
| 185 | 177 | 4 | ± 1.85 | 2000 |
| 185 | 175 | 5 | ± 1.85 | 2000 |
| 200 | 194 | 3 | ± 2.00 | 2000 |
| 200 | 192 | 4 | ± 2.00 | 2000 |
| 200 | 190 | 5 | ± 2.00 | 2000 |
| 230 | 222 | 4 | ± 2.30 | 2000 |
| 230 | 220 | 5 | ± 2.30 | 2000 |
| 250 | 242 | 4 | ± 2.50 | 2000 |
| 250 | 240 | 5 | ± 2.50 | 2000 |

Remark : Min. quantity for above items.

## Extruded Satine Tube Features

- Extruded Satine Tube has a warm and soft surface
- Extruded Satine Tube is also insensitive to traces of wear and finger marks.

## Extruded Satine Tube Application

- Installation of artwork
- lampshade

## Extruded Satine Tube Attention

- Do not coexist with other organic solvents, let alone expose them to organic solvents.
- Cannot be used at temperatures above 85 degrees Celsius.