

#### **Cast Acrylic Tube Specifications**

Standard Length : 1200mm / 1000mm

Outter Dia. (mm)	Thickness (mm)									
	2	3	4	5	6	8	10			
25	•	•								
30	●	•	●							
35	●	•	•							
40		•	●	●						
45		•	•	●						
50	●	•	•	●	●	●	•			
60	●	•	•	●	•	●	●			
65	●	•	•	●	•	●	●			
70	●	•	●	●	•	●	•			
80	●	•	•	●	•	●	●			
90		•	•	●	•	●	●			
100		•	•	●	•	●	•			
110		•	•	●	•	•	•			
120		•	•	●	•	•	•			
125		•	•	●	•	•	•			
130		•	•	●	•	●	●			
140		•	•	●	•	●	●			
150		•		●	•	●	●			
152		•		●	•	•	●			
160		•	•	●	ullet	●	•			



Cast Acrylic Tube Specifications

Outter Dia. (mm)	Thickness (mm)									
	2	3	4	5	6	8	10			
170			•	●	●	●	•			
180			•	●	ullet	●	•			
200			•	•	$\bullet$	$\bullet$	•			
230			•	•			•			
250			•	•			•			
267			•	•	•	•	•			
300			•	•			•			
330				•			•			
350			•	•			•			
400				•	•	•	•			
450			•	•	•	•	•			
500				•	•	•	•			
600										



# **Cast Acrylic Tube Features**

- Excellent weather resistance
- Excellent light transmission, light transmission rate of up to 92%, with crystal clear characteristics
- Easy machining

### **Cast Acrylic Tube Application**

- Pack the container
- Fish tank

### **Cast Acrylic Tube Attention**

- Do not coexist with other organic solvents, let alone expose them to organic solvents.
- Cannot be used at temperatures above 85 degrees celsius.

# Cast Acrylic Tube Specifications – Customized

 The above are the specifications of Cast Acrylic Tube Specifications. Customize colors and sizes, please contact us.



S • M • E ACRYLIC Products <u>Acrylic Tube</u> <u>Extruded Acrylic Rod</u> <u>Acrylic Sheets</u>, <u>Acrylic Blocks</u> <u>Acrylic Accessories</u> <u>Acrylic Light Guide</u> <u>Acrylic Bars</u>, <u>Acrylic Profiles</u> <u>Acrylic Diffusers</u>, <u>LGP</u>, <u>Reflector</u> <u>Acrylic Curtain Wands</u> <u>Diamond Edge</u> <u>Polishing Machine</u>