

Extruded Acrylic Rod Specifications

Dia. (mm)	Tolerance (mm)	Length (mm)
3	± 0.10	2000
5	± 0.10	2000
6	± 0.10	2000
8	± 0.15	2000
9	± 0.15	2000
10	± 0.15	2000
12	± 0.15	2000
15	± 0.20	2000
16	± 0.20	2000
18	± 0.20	2000
19	± 0.20	2000
20	± 0.30	2000
22	± 0.30	2000
25	± 0.30	2000
30	± 0.35	2000
32	± 0.35	2000
35	± 0.40	2000
38	± 0.50	2000
40	± 0.50	2000
45	± 0.60	2000
50	± 0.80	2000
60	± 1.00	2000
65	± 1.20	2000
70	± 1.40	2000
75	± 1.60	2000
80	± 1.60	2000

<https://www.smeacrylic.com.tw/>

Extruded Acrylic Rod Specifications

90	± 1.80	2000
100	± 2.00	2000
120	± 2.50	2000
150	± 3.00	2000
200	± 3.00	2000

Extruded Acrylic Rod Features

- Extruded Acrylic Rods have excellent weather resistance.
- Don't have to worry about sun exposure for long-term outdoor use.
- Extruded Acrylic Rod is a very durable material.
- Acrylic Rod has good stability even if in humid, cold and hot conditions.

Extruded Acrylic Rod Specifications – Customized

- The above are the specifications of Extruded Acrylic Rod Specifications. Customize colors and sizes, please contact us.

<https://www.smeacrylic.com.tw/>

Extruded Acrylic Rod Specifications

S · M · E ACRYLIC Products

Acrylic Tube Extruded Acrylic Rod Acrylic Sheets, Acrylic Blocks

Acrylic Accessories Acrylic Light Guide Acrylic Bars, Acrylic Profiles

Acrylic Diffusers, LGP, Reflector Acrylic Curtain Wands Diamond Edge

Polishing Machine